

METAL GUTTERS FOR ALL SEASONS

Extreme weather is now an all-year-round probability in the UK, ranging from flash floods one day to heat waves the next. Average wind speeds are rising faster than predicted and, according to the latest reports from the Meteorological Office, the UK could soon see a repeat of the sort of flooding that has hit in recent years after forecasters predicted a one-in-three chance there would be a new record set for monthly rainfall during coming winters.



Aluminium box gutter and rainwater pipes Image courtesy of ARP Limited

Climate change is one of the key drivers for improving roof drainage and water management; developing new standards, regulations and testing methods to ensure products and solutions align to the worst-case scenarios of climate models is essential. Rainwater systems are integral to protecting our buildings and channelling water from roof to ground. Therefore gutters, outlets and downpipes must demonstrate in-situ strength and structural capability when handling increasing volumes of rainfall and wind loadings.

The new, recently published BSi standard is: BS 9101:2017 - *Steel and Aluminium rainwater systems. Specification.* It specifies the requirements for the design and manufacture of metal gutters on industrial, commercial and residential buildings. This includes the materials, tolerances, mechanical properties and surface conditions, coatings, laminated surfaces, jointing methods and fixings for rainwater systems, including fittings and accessories for assembly or support.



Cast aluminium rainwater hopper Image courtesy of Guttercrest Limited

BS 9101:2017 puts particular emphasis on the design strength of the metal gutter. This is determined by loading capabilities in the form of downward rain, wind uplift and snow. Products to this standard require either Finite Element Analysis (FEA) or physical testing to ensure they meet the new standard.

FEA is a computer based method of analysing the behaviour of engineering structures and components under certain conditions. It is an advanced engineering tool that is used in design and to augment or replace experimental testing.

Before BS 9101:2017, standards such as BS 8530:2010 were developed to establish the requirements of traditional cast systems. However, the standard for pressed and extruded gutters was still open to interpretation.

The industry had referenced BS 612 for pressed gutters, covering 'Eaves gutters and rainwater down-pipes of metal sheet', as it was the only standard that came close. In 2005 this was updated and defined as 'Eaves gutters with bead stiffened fronts and rainwater pipes with seamed joints made of metal sheet'. A beaded stiffened front is defined as a rolled section rather than a pressed sheet. As such, pressed sheet gutters are covered under the new standard BS 9101:2017.



Galvanised steel gutter system Image courtesy of Lindab Building Products Limited

With regards to extruded gutters, the industry used to reference BS 1474 - *Specification for wrought aluminium and aluminium alloys for general engineering purposes: bars, extruded round tubes and sections*. This standard was withdrawn in 1987 and replaced by EN Standards, which apply to the material and not in-situ structural strength.

As a result, the new BS 9101:2017 is far more comprehensive and detailed to meet specific metal sheet and extruded gutters, and has been developed to cover gutters that are excluded from BS 8530.

Setting new British Standards is a time consuming and detailed process. The BSi depends on expert advice from leading UK manufacturers with regards to design parameters, loadings and specifications. A diverse group, representing all parts of the metal gutter industry, as well as consultants, was drawn together by the Metal Gutter Manufacturers Association (MGMA) to work in partnership with BSi to review current standards for rainwater products, and advise on new developments and technologies for the benefit of the industry. Developing new standards also helps eliminate bad practices among manufacturers producing inferior or unsafe products.

The new BS 9101:2017 standard raises the bar for metal rainwater specifications and will prove invaluable to metal gutter manufacturers. But often new standards are complex and the implications on project designs are not always clear.

Many architects, specifiers, design engineers or installers may not be aware of the latest developments or the significance to their projects. Members of the MGMA can offer the relevant support and technical advice to their specifier and installer customers so that metal rainwater gutter systems are correctly specified across all projects. It is essential for the protection of our buildings at a time when the demands put upon them for example, climate change, are increasing that they benefit from the best solutions.

Metal rainwater systems are designed and manufactured to give many years of reliable service and detailed advice is available at www.mgma.co.uk

This article first appeared in Metal in Architecture Supplement, Architects' Datafile. September 2017

MGMA DISCLAIMER

Whilst the information contained in this document is believed to be correct at the time of publication, the Metal Gutter Manufacturers Association Limited and its member companies cannot be held responsible for any errors or inaccuracies and, in particular, the specification for any application must be checked with the individual manufacturer concerned for a given installation.

Information provided by the MGMA or contained within publications and articles which are made available in any form (mechanical, electronic, photocopying or otherwise) cannot be used or cited as a means of ensuring that a material, product, system or assembly is compliant with Building Regulations.

©2017 MGMA 106 Ruskin Avenue, Rogerstone, Newport, South Wales NP10 0BD T: 01633 891584 E: mgmagutters@gmail.com W: www.mgma.co.uk